

## **Bonanzas to Oshkosh 2015 Pre-Rockford Briefing for Element Leaders**

Hello Gentlemen,

Congratulations!

You have been selected to fly Bonanzas to Oshkosh as Flight Leaders, also known as Element Leaders. It may be more fun to gently saw on the throttle and work the yoke and pedals to keep accurate station, but we need your superior skills & judgment for the more responsible role of Leader.

If you prefer to fly wing, please let me know and we will adjust the list. We have a good number of qualified leaders, so we can afford to shorten the list a bit.

[LarryG@b2osh.org](mailto:LarryG@b2osh.org).

### **Train to Lead**

We have an important request. We want Element Leaders to practice Leader skills between now and our arrival at RFD. Our training clinics have focused on wingman flying, quite successfully. We haven't had more than a couple weak wingmen each of the past few years, and none last year! You guys were their safety pilots, so pat yourselves on the back. But, we haven't worked much on Element Leading skills. Other than mentioning Old Bob's calibrated thumb, and telling guys to "fly the brief", we have had zilch to offer our Element Leaders in the way of training advice and material. As a start, here's what we want you to do:

In your 'regular' flying, practice slightly steeper approaches to a point about 1500 feet down the runway. Prepare yourself mentally for the Oshkosh Runway 36 sight picture. Do not allow "habit" to lull you into approaching short of the proper aim point at Oshkosh. We moved the aim point closer to the numbers for this year – we're aiming for the Purple Dot, 1700 feet down. During your B2OSH practice, do a few approaches and landings 15 seconds in trail of another airplane.

Also in your regular flying, check a few things. Know the power settings you'll need to achieve the numbers listed below. Verify accuracy of your airspeed indicator. Make sure it's within a knot or 2 of accurate. The guy who performs your pitot/static tests will find gross problems. Compare indicated airspeeds with formation partners.

Fly as wingman and do a 7 or 8 second 180 degree break. That will put you about 15 seconds behind your leader. Pay attention to the sight picture. Ask him to turn. Work on following him without cutting him off or lagging behind. It's difficult to determine distance in trail at 3000 feet, and it's very difficult to see changes. However, Smudge & I believe that basic experience with the sight picture will improve our abilities significantly. Then, if you fly to RFD in a gaggle, refresh that sight picture part of the flight.

In addition to practicing element landings, land 10-15 seconds in trail of your practice partner. Pay attention to the sight picture. Many of us do overhead breaks, and routinely land 6-10 seconds in trail. For B2OSH, 10 seconds is getting too close. When we do overheads "at home", the runway is not filled with airplanes in both lanes. Do NOT "save" an approach closer than 10 seconds in trail because you've "done it before". Multiple wakes and a runway full of airplanes is a different situation.

You all know what it takes to lead elements in B2OSH. Whether at clinics or practicing with friends, for this year, we ask you to think about training to lead an element and to work on the skills.

### **Pre-RFD Briefing**

While KISS is always the goal, we believe Element Leaders can handle a little more complexity. We will accept feedback AFTER this year's flight. Feel free to pound on me at Beer2OSH or any evening under our tent. But, please, do not kibitz at RFD. Thank you!! Oh, and you should set good examples. I cannot think of a single reason why one of our Element Leaders should ask a question or otherwise interrupt Smudge during the big preflight briefing. Got questions? Ask now!

This pre-briefing is offered so that the big briefing in RFD can focus on immediately important issues that cannot be planned for in advance. Like weather and field conditions at Oshkosh.

When you taxi in at Rockford, please put a RED card in your window to tell the line crew you are a Flight Leader. If you are a Row Leader, please put a black "X" on the red card. More about the cards later.

### **Hit Your Numbers**

#### **General Spacing Discussion**

#### **Program the Route in Your GPS**

#### **No 'Private Frequencies'**

#### **Take Care of Your Wingmen**

#### **Objective Go-Around Criteria**

#### **Emergencies**

#### **Debrief**

Your job as Flight Leader is manifold, but the major points are to fly smoothly so your wingmen can easily follow, and to **HIT YOUR NUMBERS!** To fly smoothly, you need to anticipate changes and thereby notice them early, so the corrections can be small and subtle. That's a very difficult job when your cues are in an element half a mile directly ahead of you. That's why it is so important to hit the numbers.

### **What are the numbers?**

15 seconds (30 for Row Leaders)

100 KIAS/500 FPM  
3000 MSL  
125 KIAS  
110 KIAS  
3000 MSL  
100 KIAS/600 FPM approach in landing configuration  
One Half (how far down the runway to aim)

1. 15 second take-off intervals. A flag man with a stopwatch will wave you off. Call "ELEMENT XX ROLLING" on flight freq. Don't forget. This year we have a volunteer passenger serving as 'Recording Secretary'. She will check off each "rolling" call.

Absent-minded Element Leaders are not good things.

1a. Row Leaders will be flagged off after a 30 second interval.

2. After lift-off and gear up, set power for 100 knots indicated and 500 feet per minute climb. For my J35, that's 2500 RPM and about 21" manifold pressure (slightly less than 22" since I will be nearly at gross). If anyone needs more climb speed for engine cooling, they can fly Ripon/Fisk and climb as fast as they want. Know the power setting that yields 100/500.

3. Cruise altitude is 3000' MSL. Not 50 feet higher or lower for wake turbulence. Ceiling may dictate 2500' MSL cruise altitude. After level off, there *should* be 15 seconds between elements - 30 seconds in front of Row Leaders. That's roughly 3000' and 6000' respectively.

4. Cruise at 125 KIAS. Plus or minus zero, if all works out perfectly - which, of course, is impossible. Know the power setting that yields 125 KIAS in your aircraft. For me, it's a sliver below 18" and 2500 RPM.

When confronted with up or down drafts, please leave throttle alone. Maintain altitude and accept airspeed excursions or smooth out the excursions by accepting half the rise or fall. Your choice.

If you detect that you are falling behind, make a small power increase and be patient. Let's see if we can make do with a 130 KIAS maximum airspeed. 127 or 128 is better yet. Be similarly gentle and patient when slowing. If small throttle decrease & patience aren't enough, gently slide to one side or the other. If off the "pink line", then slide toward it. Wait a minute or 2, then, if off track, slide back. You are following the elements ahead - period. But, be aware of the correct ground track. The Pink Line. When appropriate, nudge the formation back toward the line. Everyone behind you expects the flight ahead to be on course. The course line is a briefed item. Staying on or near it is part of "fly the brief".

5. On Bonanza Lead's order, slow to 110 KIAS. We are all going to slow at the same time again this year. Bonanza Lead will give a 10 second heads-up, then call for slow-

down on the inter-flight frequency. Practice and know the power setting for 110. About 15" and 2500 RPM for me.

6. Cross POBER at 3000' MSL. Turn final at POBER. Do NOT overshoot. If you overshoot, elements behind you HAVE to also overshoot, lest they cut you off. You just started the big snake. What if the preceding element slows early and you find yourself too close? Fly over POBER, turn inbound, clear traffic, and go around with your whole element.

7. After finishing the turn at POBER, slow to approach speed of 100 KIAS. Call "ELEMENT XX GEAR DOWN, LIGHTS ON" on flight freq. These calls provide the whole flight with SA. Do you want everyone to hear that you are absent-minded when you are on final? Our secretary will record the calls. Forget, and your name WILL be called at the Sunday pre-party de-briefing. Visually check that your wingmen's wheels are down. Don't forget your own gear & lights.

Know the power setting that will yield 100 KIAS and roughly 600 FPM down with gear down (13", 2500 RPM for me).

8. Aim for the **Purple Dot. This is new!** Look at the airport diagram on the NOTAM. Or, on your iPad and Foreflight. Or, on the B2OSH website. Aiming for the **Purple Dot** will require a slightly steeper than normal approach. If you go for the numbers, your wingmen and the Element Leader behind you will rat you out. Be aware of the guy behind as much as the guy in front of you.

Those are your numbers. Hit your numbers the best you can, **but please understand that formation flying is a VISUAL exercise. The numbers are tools to supplement what you SEE out the window.** The goal is a little over 3000 foot in trail spacing en route. Please find a partner and fly in trail at 125 knots. Do a 7 or 8 second break and you will roll out about 15 seconds in trail. It is very difficult to determine changes at that distance, but that's the picture you want.

## Spacing Discussion

We want to land with 15 second intervals. Same as the take-off interval. That's not a coincidence. There is NO need to go like hell to catch the element ahead. We do NOT want to close that distance. After take-off and climb-out, we will ALREADY have approximately the correct spacing. Yeah, I know – Fat Chance! But, that's the plan.

If we all hit our numbers, the only speed changes will be to maintain spacing, not to radically change it. 15 seconds at 125 knots is a little over half a nautical mile - a tad over 3000 feet. As we slow to approach, that 15 seconds becomes less distance between elements, so as the element ahead of you touches down around 60, you will be closing to about 1500' - perfect! The guy ahead will be slowing on the runway; 1500' will close to about 1200' when you touch down. Again, perfect. I hope we all agree that 3000' in trail during the cruise portion of the flight is the correct distance. At 3000' separation, the

wake turbulence is less if (when) you happen to catch it. Fly closer ONLY to maintain visual contact with the preceding element.

If you think you are a little behind, that is OK, as long as you can see a couple elements ahead. We are NOT trying to catch up! Anything above 125 knots will be to keep from falling behind. There is a big difference between those 2 concepts.

If you perceive you are creeping up on the element ahead, make a very small power decrease, and/or slide gently to one side for a minute or so, then slide back in trail. Use these adjustments to correct track error. There is NO need to fly 140 knots at any point in the flight. Not even 130, really. Small power changes, only, please. Then be patient.

The Row Leaders will NAIL their airspeeds and vertical speeds. The Element Leaders immediately behind them can RELY on that! The Row Leaders are NOT going to run away from anyone! They will not speed up over 125 unless absolutely necessary to keep the flight ahead in sight, and they will make very gentle heading changes if they need to create space between them and next element ahead. Each Row Leader will re-establish order for the tail end of the flight.

If you see the element ahead move to one side, do one of 2 things, depending on your spacing. If nicely spaced or a little close, follow him. If you are a bit farther back than 15 seconds (3000'), continue straight ahead and take advantage of cut-off.

The POBER snake: We are going charm that poisonous viper again this year with the straighter route and simpler altitude profile we used last year. The route is shown on the B2OSH web site. We're going at 3000 MSL all the way to POBER.

The other tool is the go around. Where accordion effect tightens up spacing, an element going around inserts extra space for succeeding elements. Thus we have:

### **Objective Go-Around Criteria**

Also new for this year are objective criteria for going around, in addition to the subjective criterion "I think we're too close":

1. If a snake has started before you reach POBER: maintain 3000, turn inbound, and go around when clear. Do not overshoot POBER, do not collect 200 dollars.
2. If you need to S turn on final, DON'T. Clear traffic and go around.
3. If you have to slow below 90 knots to remain safely behind preceding element, then clear and go around.
4. If you have to approach shallower than briefed to keep previous element from going under your nose, then clear and go around.
5. If you have to aim for a point short of the briefed aim point, then clear and go around. Do NOT land on Brick One or drag the runway before touching down.

### **Please program the route and have GPS data ready should you need it.**

If there is a runway abort or other delay during the take-off, you might be leading a flight of 70 or more - with zero contact with the elements ahead of you. Don't cut any corners

and don't try to catch up. Lead the flight behind you. Fly the briefed route. Fly the briefed numbers. You know your element number – ask the preceding Element Leader where he is (distance from next waypoint), to get some SA for you and the flight you are leading.

We will pass Madison about 4 miles outside its Class C airspace. Pay attention to the “pink line” on your GPS and don't wander off course. Ditto when we pass Fon du Lac temporary Class D airspace. We will pass about 3 miles west of FDL Delta. FDL Class Delta is NOT charted. It's not depicted on your GPS, because it's only Class D for the show. Consult the NOTAM, know where it is, and don't fly into it.

We have simplified the routes to runways other than 36. Regardless of target runway at OSH, we will fly the same route to POBER. If 36, turn left for the runway, as we usually do.

If landing Runway 27, we will continue past POBER at 3000 MSL to the lake shore and turn onto a wide left base for 27. Slow to 100 KIAS, gear down before turning final. Gently roll into a maximum 10 degree bank base to final turn. Aim for the **ORANGE DOT**.

If landing Runway 18, we will continue past POBER at 3000 MSL to the lake shore and turn onto a wide left downwind for 18 Right (can't land on 18L – no place to taxi off). Slow down, gear down abeam approach numbers. Start down and turn base south of 9/27. Gently roll into maximum 10 degree bank base & final turns. Aim for the **PINK DOT**.

If landing Runway 9, same as above, but turn from lake shore onto wide left downwind for 9. Slow down, gear down abeam approach numbers. Keep downwind pattern close to airport (2 miles max), lest we get close to Ripon/Fisk procedure's Rush Lake holding pattern. Gentle base & final turns. Aim for the **WHITE DOT**.

Here's a link to the route on our website:

<https://www.b2osh.org/Web/B2OSH/Pages/Flight/Route.asp>

Be prepared to insert one waypoint into the routes. The first waypoint out of RFD will be a point 5 miles straight out. That waypoint depends on which runway we use for take-off. SUGEE for Runway 07 departure (most likely). CUDUP for Runway 25. Construction on Runway 1/19 makes it unavailable. If you don't want to insert a waypoint during the rush between the briefing and engine start, program 2 routes – one for Runway 7 departure, one for 25.

**Do NOT use any frequencies other than those assigned by Smudge!**

Please! No “element frequencies”! If there is a problem, we need to hear you.

**Take care of your wingmen starting from the time you meet them.**

Interview them upon arrival. Know their names. Get a sense of their ability and experience, and decide who will fly on the left & right sides. If you have concerns about your wingmen, please talk to me or Smudge. Please try to do this on Friday. If you do a good job with this, your guys will be FAR less likely to gum up Smudge's briefing. After the main briefing, please get with your Row Leader for a minute. He will conduct a short Row Briefing. Then get with your 2 wingmen and do a final Element Briefing. Talk about the take-off and **have a plan for flaps on landing**.

Before engine start, walk around each of your wingmen's aircraft, looking for chocks, pitot covers, open windows, and open baggage doors. Look at their cowl door latches and that their cowl flaps are open. If one of your guys added a quart of oil, MAKE him check that the filler cap is secure. On the runway, check for seatbelts hanging outside cabin doors. You are the "cool heads". This is an exciting time. Somebody is bound to forget something. Help 'em out!

**In the event of a problem during the flight**, be prepared to escort, or assign your other wingman to escort, the airplane with a problem. That group becomes a 2-ship with the stricken craft as Lead and the escorting craft as Wing. Escort will offer any assistance he can, while keeping a safe distance away. Should an aircraft go down, escort will be there to circle and help SAR find the site. Get away from 3000' MSL. The pilot of the stricken airplane is obviously PIC, but it is a BAD idea to turn back to RFD. That's head-on into a whole lot of Bonanzas and Barons.

**For debrief, there will be a hand-out for each of you.** Your Row Leader will distribute it to you. After Margaritas and pizza Saturday afternoon, please fill it out and return it to your Row Leader. It will have space for comments about the flight. We are interested in your assessment of the performance of your 2 wingmen, and of the element ahead of you. There will be a block for you to beat on Smudge & me, too. There will NOT be a block for radio discipline issues. All calls will be on the common flight frequency and Smudge & I will hear everything. We do not need help giggling the blabbermouths. Trust me on this one <g>!

You are the most experienced pilots in our fold. I cannot imagine a circumstance where any of you would interrupt Smudge's briefing to add something, ask a question, or otherwise comment. If you have any concerns about the flight, now is the time to speak up – not during the briefing. Unless, of course, you think we are about to kill somebody.

This is going to be a great flight because you are all leading it. I thank you for your skill and good judgment. Many of you rode as safety pilots at one or more of the Regional Clinics. You guys are the real heroes of Bonanzas to Oshkosh.

See you in RFD!!

Larry